



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

ew

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/498,104	02/04/2000	Paul M Scopton	1001.1375101	8323

28075 7590 06/19/2003

CROMPTON, SEAGER & TUFTE, LLC
1221 NICOLLET AVENUE
SUITE 800
MINNEAPOLIS, MN 55403-2420

EXAMINER

DESANTO, MATTHEW F

ART UNIT PAPER NUMBER

3763

DATE MAILED: 06/19/2003

18

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/498,104

Applicant(s)

SCOPTON, PAUL M

Examiner

Matthew F DeSanto

Art Unit

3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 April 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 7-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1-5, 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Moore et al. (USPN 5531700).

Moore et al. discloses a biliary catheter comprising an elongated shaft having a proximal end, a distal end, and an injection lumen extending therethrough, a guidewire lumen extending through a distal portion of the shaft between a proximal guidewire port and a distal guidewire port, the guidewire lumen being in fluid communication with the injection lumen of the shaft, the proximal guidewire port disposed proximal of the distal end of the shaft and distal of the proximal end of the shaft, the distal guidewire port disposed at the distal end of the shaft; and a tubular member connected to the shaft, the tubular member extending proximally from the proximal guidewire port to a proximal end disposed distal of the proximal end of the shaft, the tubular member defining a guidewire lumen extension adapted to permit the guidewire to be retracted from guidewire lumen and re-inserted therein. (Figure 4, and entire reference).

Wherein the tubular member has a distal end disposed distal of the proximal guidewire port, and where the member is disposed about the shaft, and wherein the distal end of the tubular is fluidly sealed about the shaft, and wherein a proximal portion of the guidewire lumen extension is sized to restrict flow about the guidewire disposed therein. (Figure 4, and entire reference).

Wherein the guidewire lumen extension is axially aligned with the guidewire port, and wherein the shaft of the catheter is radially shifted at the proximal guidewire port such that the guidewire may remain substantially straight through the proximal guidewire port. (Figure 4, and entire reference).

2. Claims 1-5, and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Salmon et al. (5314408).

Salmon et al. discloses a biliary catheter comprising an elongated shaft having a proximal end, a distal end, and an injection lumen extending therethrough, a guidewire lumen extending through a distal portion of the shaft between a proximal guidewire port and a distal guidewire port, the guidewire lumen being in fluid communication with the injection lumen of the shaft, the proximal guidewire port disposed proximal of the distal end of the shaft and distal of the proximal end of the shaft, the distal guidewire port disposed at the distal end of the shaft; and a tubular member connected to the shaft, the tubular member extending proximally from the proximal guidewire port to a proximal end disposed distal of the proximal end of the shaft, the tubular member defining a guidewire lumen extension adapted to permit the guidewire to be retracted from guidewire lumen and re-inserted therein. (Figures 9 & 10, and entire reference).

Wherein the tubular member has a distal end disposed distal of the proximal guidewire port, and where the member is disposed about the shaft, and wherein the distal end of the tubular is fluidly sealed about the shaft,

Art Unit: 3763

Wherein a proximal portion of the guidewire lumen extension is sized to restrict flow about the guidewire disposed therein, and wherein the guidewire lumen extension is axially aligned with the guidewire port, and wherein the shaft of the catheter is radially shifted at the proximal guidewire port such that the guidewire may remain substantially straight through the proximal guidewire port. (Figures 9 & 10, and entire reference).

3. Claims 1-5, 7, 10-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Crittenden et al. (4988356). Crittenden et al. discloses et al. a biliary catheter comprising an elongated shaft having a proximal end, a distal end, and an injection lumen extending therethrough, a guidewire lumen extending through a distal portion of the shaft between a proximal guidewire port and a distal guidewire port, the guidewire lumen being in fluid communication with the injection lumen of the shaft, the proximal guidewire port disposed proximal of the distal end of the shaft and distal of the proximal end of the shaft, the distal guidewire port disposed at the distal end of the shaft; and a tubular member connected to the shaft, the tubular member extending proximally from the proximal guidewire port to a proximal end disposed distal of the proximal end of the shaft, the tubular member defining a guidewire lumen extension adapted to permit the guidewire to be retracted from guidewire lumen and re-inserted therein, and further comprising a balloon and an inflatable lumen within the shaft.

Wherein the tubular member has a distal end disposed distal of the proximal guidewire port, and where the member is disposed about the shaft, and wherein the distal end of the tubular is fluidly sealed about the shaft, and wherein a proximal portion

Art Unit: 3763

of the guidewire lumen extension is sized to restrict flow about the guidewire disposed therein.

Wherein the guidewire lumen extension is axially aligned with the guidewire port, and wherein the shaft of the catheter is radially shifted at the proximal guidewire port such that the guidewire may remain substantially straight through the proximal guidewire port, and where the tubular member has as length of approximately 5-30 cm and a heat shrink tube. (Figures 1, 7, 9, 11, 12 and entire reference).

4. Claims 1-5, 7-9, and 10-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Horzewski et al. (4,771,777).

Horzewski et al. discloses a biliary catheter comprising an elongated shaft having a proximal end, a distal end, and an injection lumen extending therethrough, a guidewire lumen extending through a distal portion of the shaft between a proximal guidewire port (47) and a distal guidewire port (33), the guidewire lumen being in fluid communication with the injection lumen of the shaft, the proximal guidewire port disposed proximal of the distal end of the shaft and distal of the proximal end of the shaft, the distal guidewire port disposed at the distal end of the shaft; and a tubular member connected to the shaft, the tubular member extending proximally from the proximal guidewire port to a proximal end disposed distal of the proximal end of the shaft, the tubular member (71) defining a guidewire lumen extension adapted to permit the guidewire to be retracted from guidewire lumen and re-inserted therein. (Figures 1-4 and entire reference).

Art Unit: 3763

Wherein the tubular member has a distal end disposed distal of the proximal guidewire port, and where the member is disposed about the shaft, and wherein the distal end of the tubular is fluidly sealed about the shaft, and wherein a proximal portion of the guidewire lumen extension is sized to restrict flow about the guidewire disposed therein. (Figures 1-4 and entire reference).

Wherein the guidewire lumen extension is axially aligned with the guidewire port, and wherein the shaft of the catheter is radially shifted at the proximal guidewire port such that the guidewire may remain substantially straight through the proximal guidewire port. (Figures 1-4 and entire reference).

Further comprising a balloon catheter with an inflatable balloon and an inflatable lumen.

Response to Arguments

5. Applicant's arguments, filed 04/09/03, with respect to Willard et al. have been fully considered and are persuasive. The 102 Rejection of Willard et al. has been withdrawn.

6. Applicant's arguments filed 04/09/03 have been fully considered but they are not persuasive, with respect to Crittenden et al., Moore et al. and Salmon et al.

7. With regards to Crittenden et al. the examiner does not understand the arguments given by the applicant, with respect to Crittenden et al. not being a catheter, and wishes the applicant to further explain the differences, because the examiner still believes Crittenden et al. anticipates the claims of this invention and therefore, upholds the rejection.

Art Unit: 3763


8. With respect to Moore et al. and the guidewire lumen not sharing a common axis with the guidewire lumen extension, this is not the case. Figure 8, 10, 11, 12 show this; reference number 30 is the guidewire proximal port, Ref. # 26 is the guidewire distal port, Ref # 18 is the guidewire lumen extension within the tubular member, therefore looking at figures 11 and 12 the guidewire lumen extension shares a common axis with the guidewire lumen.


9. With respect to Salmon et al. and the guidewire lumen not sharing a common axis with the guidewire lumen extension, this is not the case. Figure 7 show this; reference number 71 is the guidewire proximal port, Ref. # 60 is the guidewire distal port, Ref # 64 is the guidewire lumen extension within the tubular member, therefore looking at figure 7 the guidewire lumen extension shares a common axis with the guidewire lumen.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew F DeSanto whose telephone number is 1-703-305-3292. The examiner can normally be reached on Monday-Friday 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 1-703-308-3552. The fax phone numbers for the organization where this application or proceeding is assigned are 1-703-872-9302 for regular communications and 1-703-872-9303 for After Final communications.


Matthew DeSanto
Art Unit 3763
June 11, 2003


BRIAN L. CASLER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700